



NEW PRODUCTS 2020
INNOVATION AT ITS SOURCE

DELABIE

NEW PRODUCTS 2020 DELABIE

Our ambition: Innovation, performance, design

Unique solutions, new technologies, patents, complete compliance with international standards: **at DELABIE, Research & Development is our driving force.**

Designing **durable products that are stylish, water and energy savings**, anticipating hygiene norms, it is a true company culture that enables us to provide constant **support to commercial buildings, healthcare establishments and all public places in their new challenges.**

Driven to meet your expectations, in 2020 like in 2019, we have created new products whilst remaining faithful to quality which is our trademark in France and around the world: **remarkable design and faultless manufacture.** For every project, for every issue, there is a DELABIE solution made for you.

We hope you enjoy discovering our products.

Would you like to know more about Delabie? **Go to delabie.com**, where you will easily be able to find all our products and download, as you need, **numerous files and BIM objects.**


Our catalogues are, of course, available in hard copies on request.

DELABIE, a manufacturer's expertise


DELABIE, a 100% family-owned French company, established in 1928, is **the European market leader in tapware and sanitary accessories for the non-domestic market.** It has a special offering for this market with five ranges: Water controls for public and commercial places, Water controls for hospitals, Accessibility and hygienic accessories, Stainless steel sanitary ware and other Specialist water controls.

Over 2,000 DELABIE manufactured items, **internationally renowned**, are exported from its factory in France to more than 90 countries. The company has 9 subsidiaries worldwide: Germany, Austria, Benelux, United Kingdom, Portugal, Spain, Poland, United Arab Emirates (Dubai) and China (Hong-Kong).

PUBLIC AND COMMERCIAL PLACES / Pp. 04 to 19



HEALTHCARE FACILITIES / Pp. 20 to 23



ACCESSIBILITY / ACCESSORIES / Pp. 24 to 31




SANITARY WARE / Pp. 32 to 35



NEW

THE ONLY SINGLE HOLE
 ELECTRONIC MIXER ON
 THE MARKET
 WITH INTEGRATED
 STOPCOCKS



Displayed product: **Ref. 493506**

WALL-MOUNTED TEMPOMATIC MIX 4 ELECTRONIC BASIN MIXER

90% water savings

Automatic operation and shut-off,
 flow rate pre-set at 3 litres
 per minute.

Hygiene

No manual contact, reduced-
 stagnation solenoid valve
 and anti-bacterial proliferation
 duty flush.

Easy to install

Water inlets recessed in the wall,
 without housing; multiple
 installation options:
 in a concrete niche, on plasterboard
 rails or solid walls.

Simple to maintain

Stopcocks, electronic system
 and batteries integrated
 in the mixer body.

*Also available for cross wall
 installation and mains supply.*



Water
 savings



Hygiene



Easy to install



DELABIE Innovation


This single hole design
 without housing enables
 the hot and cold water inlets
 to be recessed with ease.
 The space gained is
 undeniable. Maintenance
 is simplified thanks to the
 exclusive advantage of
 integrated stopcocks.



TEMPOMIX 3 time flow basin mixer **794055** - MINERALCAST wall-mounted wash trough **454180** - Recessed paper towel dispenser **510712S**

NEW

DESIGN
AND WATER SAVINGS
COME FIRST
WITH THIS SINGLE HOLE
WALL-MOUNTED
VERSION



Displayed product: Ref. **794050**

TEMPOMIX 3 WALL-MOUNTED TIME FLOW BASIN MIXER

85% water savings

Flow rate pre-set at 3 litres per minute and 7 seconds time flow.

Comfort

Soft-touch operation and temperature selection available with one movement.

Anti-scalding safety

Adjustable, pre-set maximum temperature limiter.

Easy to install

Inlets recessed in the wall, no housing.

Withstands intensive use

Solid brass and shock-resistant mechanism.

Reduced servicing

Scale-resistant cartridge.

Also available for cross wall installation and in different lengths.



Water savings



Comfort



Easy to install



DELABIE Innovation

This unique single-hole design makes it easy to recess the hot and cold water inlets. There is an undeniable gain in space. The aesthetic is more pleasing compared to a conventional recessed installation.

NEW

100% WATERPROOF
 RECESSED HOUSING,
 MODULAR
 AND ADAPTABLE



Displayed product: Ref. 79480X3 + 794200

TEMPOMIX 3 RECESSED TIME FLOW BASIN MIXER IN WATERPROOF HOUSING

Easy to install

One housing for all types of installation (plasterboard rails, solid walls or panels), thin or thick partitions, sensitive elements are covered by temporary caps during the system purge, waterproofing guaranteed without any extra action needed from the installer.

Reduced servicing and simplified maintenance

Technical elements are accessible from the front without removing the housing, scale-resistant cartridge.

Withstands intensive use

Body in solid brass, shockproof mechanism, concealed fixings.

Advantages of TEMPOMIX 3 technology

- 85% water savings
- Soft-touch operation
- Temperature selection



Easy to install



Water savings



Comfort

In the TEMPOMIX 3
 recessed range



Shower version

Ref. 79480X1 + 794218



TEMPOMATIC 4 electronic urinal kit 479412



NEW
 JUST AIM!
 NEW DESIGN

Displayed product: Ref. 479411

TEMPOMATIC 4 EXPOSED ELECTRONIC URINAL VALVE WITH INTEGRATED BATTERIES

Easy to install

Electronic system is integrated in the valve body, can easily be installed in the place of a time flow valve.

Hygiene

Automatic rinse without manual contact, hygienic duty flush.

Simple to maintain

Access all technical elements from the front, valve can be disconnected from the wall, batteries can be changed without cutting off the water supply.

Water savings

High-frequency mode (short rinse after each user and complementary rinse at the end of the busy period), 3 rinsing modes according to the urinal.



Easy to install



No manual contact



Water savings



DELABIE Innovation

High-frequency mode, winner of numerous awards and exclusive to DELABIE, enables the manager to reduce water consumption whilst guaranteeing the user maximum hygiene.



TEMPOFLUX 3 time flow direct flush kit **763203** - Floor-standing stainless steel S21 P WC pan **110300**



NEW

DESIGN, COMFORT
 AND TECHNOLOGY:
 CHILD'S PLAY

Displayed product: **Ref. 763203**

TEMPOFLUX 3 EXPOSED TIME FLOW DIRECT FLUSH VALVE FOR WCS

Water savings

Dual flush 3 litres / 6 litres, can be adjusted to 2 litres / 4 litres.

Comfort

Soft-touch operation,
 low acoustics level.

Reduced vandalism

AB anti-blocking system: water only
 flows when push-button is released.

Advantages of direct flush

- Powerful flush is always available
- No stagnation of water, scale or impurities
- Reduced servicing and simplified maintenance



Comfort



Water
 savings



Direct flush:
 no water stagnation



DELABIE Innovation

Dual flush system
 3 litres / 6 litres (can be
 adjusted to 2 litres / 4 litres)
 with AB anti-blocking system
 and soft-touch operation
 (patented).



TEMPOMATIC dual control electronic direct flush valve **464SBOX + 464000** - Wall-mounted toilet brush set with cover **4051P**



NEW
 THE RIGHT VOLUME
 OF WATER!
 "INTELLIGENT" SYSTEM
 THAT FLUSHES
 ACCORDING TO NEED

Displayed product: Ref. **464SBOX + 464000**

TEMPOMATIC DUAL CONTROL RECESSED ELECTRONIC DIRECT FLUSH IN WATERPROOF HOUSING

Easy to install

One housing for all types of installation (plasterboard rails, solid walls or panels), thin or thick partitions, sensitive elements are covered by temporary caps during the system purge, waterproofing guaranteed without any extra action needed from the installer.

Simple to adjust and service

Technical elements are accessible from the front without removing the housing, electronics sit behind the plate.

Hygiene

Automatic rinse if there is no voluntary flush via the push-button, hygienic duty flush.

Advantages of direct flush

- Powerful flush is always available
- No stagnation of water, scale or impurities
- Water savings



Easy to install



Water savings



Direct flush:
no water stagnation




DELABIE Innovation

The automatic flush system is "intelligent": the flush volume adapts depending on usage. This function allows the manager to reduce water consumption, whilst guaranteeing the user maximum hygiene.



TEMPOFLUX 3 time flow direct flush valve **763BOX + 763040** - Wall-mounted toilet brush set with cover **4051P**



NEW
 A STRONG AND STYLISH
 DIRECT FLUSH:
 TRY IT, YOU'LL LOVE IT!

Displayed product: **Ref. 763BOX + 763040**

TEMPOFLUX 3 RECESSED TIME FLOW DIRECT FLUSH VALVE IN WATERPROOF HOUSING

Easy to install

One housing for all types of installation (plasterboard rails, solid wall or panel), thin or thick partitions, sensitive elements are covered by temporary caps during the system purge, waterproofing guaranteed without any extra action needed from the installer.

Water savings

Dual flush 3 litres / 6 litres, can be adjusted to 2 litres / 4 litres, AB anti-blocking system.

Comfort

Soft-touch operation.

Simple to adjust and service

Technical elements are accessible from the front without removing the housing.

Advantages of direct flush

- Powerful flush is always available
- No stagnation of water, scale or impurities
- Water savings



Easy to install



Water savings



Comfort



Direct flush:
no water stagnation


In the
 TEMPOFLUX 3
 recessed range



Satin stainless steel plate
Ref. 763BOX + 763000



TEMPOFIX 3 frame system with TEMPOFLUX 3 time flow direct flush valve **564065 + 763000** - Wall-hung S21 S WC pan **110310**
Wall-mounted toilet brush set with cover **4051S** - Jumbo toilet paper dispenser **2912** - Coat hook **4043S**



NEW

SAVE TIME DURING
INSTALLATION:
THE TEMPOFIX 3
IS SUPPLIED
PRE-ASSEMBLED

Displayed product: Ref. **564065 + 763000**

TEMPOFIX 3 WC FRAME SYSTEM FOR DIRECT FLUSH

Quick and easy to install

Easy to adjust

Withstands intensive use and vandalism

Complies with French standard NF D12-208

Direct flush advantages

- Efficient flush available instantly
- No water stagnation, scale or impurities
- Water savings
- Minimal servicing and easy to maintain



Quick and
easy to install




Withstands
intensive use



Direct flush:
no water
stagnation

In the TEMPOFIX 3 WC range



TEMPOMATIC
dual control
version with
electronic flush
valve

Ref. **564065**
+ 464006



Wall-mounted sequential mechanical mixer **2640** - Wall-mounted paper towel dispenser **510601S**

NEW

THE ONLY
 SEQUENTIAL MIXER
 WITH A THERMAL SHOCK
 OPTION WITHOUT
 REMOVING
 THE LEVER




Displayed product: **Ref. 2640**

WALL-MOUNTED SEQUENTIAL MECHANICAL BASIN MIXER

Infection control

The same movement controls opening and temperature selection on a turning angle of 70°, only cold water flow (exclusive to DELABIE), body with tubes with smooth interior, low volume of standing water in the body.



Anti-scalding safety

Securitouch thermal insulation, thermal shock function, maximum temperature limiter.

Comfort

Optimised hand washing, Hygiene lever enables control without manual contact, fixed or movable spout.



Open
and closing on
cold water




Thermal shock
function



Maximum
hygiene

In the
 wall-mounted
 sequential mixer
 range



Securitouch mechanical mixer
Ref. 2437

NEW

THE END OF
NON-RETURN VALVES!
LESS BACTERIAL
PROLIFERATION
AND LESS SERVICING



Displayed product: **Ref. H9769**

**THERMOSTATIC SHOWER MIXER
WITHOUT NON-RETURN VALVES**

**Complete anti-scalding
safety**

Instant shut-off of hot water in the event of cold water failure, Securitouch thermal insulation, thermal shock function, double temperature limiter.

Infection control

No non-return valves (designed with no risk of cross flow), low volume of standing water in the body, body with smooth interior and no rough surfaces.

Simple to maintain

Checking the anti-scalding failsafe and removing the mixer for disinfection have been simplified.

Comfort

Ergonomic controls are easy to grip.



No non-return
valves



Maximum
hygiene



Optimum
anti-scalding
safety



**DELABIE
Innovation**

DELABIE has developed a unique patent: the design of the H9769 thermostatic shower mixer makes hot and cold water cross flow impossible significantly reducing the risk of bacterial proliferation.



NEW
NO TANK
THE WATER EVAPORATES!

Displayed product: **Ref. 510623W**

SPEEDJET 2 HAND DRYER HIGH SPEED AND HYGIENIC

High speed

Dries in 10 to 12 seconds,
two-way pulsed air at over
540 kilometres an hour.

Simple to service

Unique process of eliminating water
by evaporation, no runoff onto the
floor or walls, no tank to empty.

Hygiene

HEPA filter stops 99.99%
of bacteria, anti-bacterial ABS.

Energy savings

Automatic shut-off of the heating
element from room temperature
> 25°C.


High speed


Hygiene


Simple
to service



In the SPEEDJET 2
hand dryer range



SPEEDJET 2
metallised
anthracite
Ref. 510623C



Be-Line® lift-up shower seat **511930C** - L-shaped Be-Line® grab bar **511971C** - Be-Line® sliding shower head holder **511911C** - Be-Line® soap dish **511912W**
Recessed SECURITHERM sequential thermostatic shower mixer **790BOX + H9632**



NEW
WITH THE BE-LINE® SEAT,
LIFE'S A SHOWER!

Displayed product: **Ref. 511930C**

BE-LINE® SHOWER SEAT LIFT-UP AND REMOVABLE

Inclusive design

Transcends generations, a feeling of well-being that eliminates the medical aspect.

Discretion

Sleek lines, concealed fixings, lift-up feature enables space saving.

Comfort

Large model; non-slip surface; visual contrast with a choice of metallised anthracite or matte white finish.

Safety Pack

Tested to over 200kg, 10-year warranty, CE marked.

Removable and interchangeable

Easy to unclip, can be temporarily replaced by a wall-mounted shower shelf when a seat is not needed.



Design



Comfort




Test 200 kg



CE

In the Be-Line® shower seat range



Clip-on shelf for showers and fixings cover

Ref. 511921W




Shower seat without leg

Ref. 511920C



NEW
DESIGN,
FULL STOP!



Displayed product: Ref. 511960C



Angled grab bar 135°
Ref. 511982C




Straight grab bar
Ref. 511906C



L-shaped grab bar
Ref. 511970C



T-shaped grab bar
Ref. 511944C



Grab bar with vertical rail
Ref. 511949C

BE-LINE® GRAB BARS

DESIGN, COMFORT AND WELL-BEING

Innovative design

Suitable for all; a feeling of well-being that eliminates the medical aspect.

Comfort

Ergonomic flat front face, prevents rotation for optimum grip; space saving for freedom of movement; visual contrast.

Safety pack

Tested to over 200kg, 10-year warranty, CE marked.



Metallised anthracite



Matte white



Design




Comfort



Test 200 kg



In the Be-Line® grab bar range



Soap dish
Ref. 511912W

Sliding shower head holder

Ref. 511911C



Matte white Be-Line® drop-down rail L. 850mm **511964W** - Matte white Be-Line® angled grab bar 135° **511982W**
TEMPOMATIC dual control electronic direct flush valve **464PBOX + 464006**



Be-Line® toilet brush set **4051C** - Be-Line® toilet roll holder **511966C** - Be-Line® coat hook **511943C**
TEMPOFIX 3 frame system TEMPOMATIC dual control electronic direct flush valve **564005 + 464000**



NEW
STYLISH
AND PRACTICAL,
DON'T BEAT AROUND
THE BRUSH!

Displayed products
Ref. 4048C / 4051C / 510051C

BE-LINE® TOILET BRUSH DESIGN AND HYGIENE

Hygiene
Bacteriostatic 304 stainless steel, removable bowl with reservoir prevents the brush from sitting in residual water, brush repositions itself automatically in the pot.

Design
Sleek shape, 2 finishes available - metallised anthracite or matte white.

Vandal-resistant
Robust design, anti-theft.



Metallised anthracite



Matte white



Hygiene



Design



Anti-theft

In the Be-Line®
hygienic accessories
range



Toilet roll holder
Ref. 511966C



Coat hook
Ref. 511943C



NEW
INDUSTRIAL STAINLESS?
INTOXICATING

Displayed product: Ref. 120180

MINI BAILA
STAINLESS STEEL BASIN
FOR WALL-MOUNTING

True decorative element for top-of-the-range washrooms.
Basin interior diameter: 310mm.
Light: 4.1kg.

Withstands vandalism
Unbreakable material.

Safety
Rounded edges do not stick out, finish prevents cuts.

Maximum hygiene
Bacteriostatic 304 stainless steel, easy to clean.



Design




Easy to clean



Withstands intensive use



In the stainless steel basins range



AQUEDUTO basin with concealed waste
Ref. 120150

NEW
THE ECOLOGICAL
ALTERNATIVE
TO WATERLESS URINALS



Displayed product
Ref. 130000

HYBRIMATIC FINO STAINLESS STEEL URINAL UNIQUE HYBRID RINSING SYSTEM

Water savings

Rinses bowl and membrane with only 7 cl of water.

Hygiene

Rinses do not require manual contact and take place after each use. Bacteriostatic 304 stainless steel, easy to clean surface.

Ecology

Costly chemical products are not needed. Stainless steel is a 100% recyclable material.

Simple to maintain

Access from underneath, without removing the urinal. Supplied with stopcock, LEDs help with troubleshooting and Lithium batteries. Rinses every 24 hours to prevent unpleasant smells and the blocking of pipework.

Suitable for intensive use

Detection system is not visible from the exterior. High-frequency mode for busy periods. No cells are visible or reachable by users.



Design



Water savings



No manual contact



Easy to clean



DELABIE Innovation

With its unique concealed detection system, the HYBRIMATIC FINO stainless steel hybrid urinal automatically rinses once it detects fluid in the bowl. It enables maximum water savings as 7cl are sufficient to rinse the bowl and the membrane.

Discover all of DELABIE's product references at
delabie.com

New

Download our key product references as BIM objects

Available **documents**


DOC 609INT: Water Controls for Public and Commercial Places

DOC 950INT: Accessibility and Independence - Hygienic Accessories for Public and Commercial Places

DOC 900INT: Water Controls for Healthcare Establishments and Retirement Homes

DOC 750INT: Stainless Steel Sanitary Ware

DOC 200INT: Water Controls for Professional Catering



DELABIE

18 rue du Maréchal Foch
80130 FRIVILLE - FRANCE

DELABIE S.C.S., share capital 1.000.000 € - RCS B 615 680 089 Amiens

delabie.com



DOC100INT - 11/2019